

魚類学雑誌 Japanese Journal of Ichthyology

25 巻 総目次 Contents of Volume 25, 1978~1979

- 阿部 晃治：尼岡 邦夫を見よ
 Ahmad, Mukhtar：手島 和之を見よ
 尼岡 邦夫・仲谷 一宏・阿部 晃治：日本から初記録のクシスミクイウオ(新称) (2) : 149
 荒井 孝男：ニュージーランド沖から採集された *Mesobius antipodum* (4) : 286
 千葉 晃・本間 義治・W.J.R. Lanzing：ティラピアの下垂体ならびに生殖線の発達に及ぼすメサリビュアの影響.. (2) : 107
 Dawson, C.E.・安田 富士郎・今井 千文：ワカヨウジ属 3 種に見られる糸状物とワカヨウジ属とヒフキヨウジ属の比較 (4) : 244
 Fourmanoir, P.：Hoese, Douglass F. を見よ
 Garrick, J.A.F.：稲田伊史を見よ
 後藤 晃：ハナカジカの 2 型の成熟過程についての比較研究—I. 卵巣の発達の年周期..... (2) : 115
 Gupta, Kadambri：Malhotra, Y.R. を見よ
 原 政子：田中 彰を見よ
 Heemstra, Phillip C.：Randall, John E. を見よ
 日置 勝三：鈴木 克美を見よ
 Hoese, Douglass F.・P. Fourmanoir：熱帯インド・西太平洋で採集されたハゼ科の新属新種 *Discordipinna griessingeri* (1) : 19
 本間 義治：千葉 晃を見よ
 池上 健夫：落合 明を見よ
 今井 千文：Dawson, C.E. を見よ
 稲田 伊史・J.A.F. Garrick：ニュージーランド近海から得られたテングギンザメ *Rhinochimaera pacifica* (4) : 235
 石原 元・座間 彰：小笠原諸島より得られたヒラペラの記録..... (3) : 227
 Jyoti, M.K.：Malhotra, Y.R. を見よ
 梶島 孝雄：竹内郁夫を見よ
 金山 勉・丸山 秀佳：本邦から得られたトクビレ科の 2 希種、ニセナメトクビレとサイトクビレ..... (4) : 278
 金山 勉・佐々木 達・佐々木 星：北太平洋におけるカラスダラ(新称)の出現 (1) : 68
 Abe, Koji：see Amaoka, Kunio
 Ahmad, Mukhtar：see Teshima, Kazuyuki
 Amaoka, Kunio, Kazuhiro Nakaya and Koji Abe：First record of the percichthyid fish *Howella parini* from Japan (2) : 149
 Arai, Takao：Additional information on a rare macrourid fish, *Mesobius antipodum*, from New Zealand (4) : 286
 Chiba, Akira, Yoshiharu Honma and W.J.R. Lanzing：Effect of methallibure on the hypophysis and gonadal development of the cichlid fish, *Tilapia mossambica*..... (2) : 107
 Dawson, C.E., Fujio Yasuda and Chifumi Imai：Elongate dermal appendages in species of *Yozia* (Syngnathidae) with remarks on *Trachyrhamphus* (4) : 244
 Fourmanoir, P.：see Hoese, Douglass F.
 Garrick, J.A.F.：see Inada, Tadashi
 Goto, Akira：Comparative studies on the maturation process of two types of *Cottus nozawae*—I. The annual cycle of ovarian development..... (2) : 115
 Gupta, Kadambri：see Malhotra, Y.R.
 Hara, Masako：see Tanaka, Sho
 Heemstra, Phillip C.：see Randall, John E.
 Hioki, Syozo：see Suzuki, Katsumi
 Hoese, Douglass F. and P. Fourmanoir：*Discordipinna griessingeri*, a new genus and species of gobiid fish from the tropical Indo-west Pacific (1) : 19
 Honma, Yoshiharu：see Chiba, Akira
 Ikegami, Takeo：see Ochiai, Akira
 Imai, Chifumi：see Dawson, C.E.
 Inada, Tadashi and J.A.F. Garrick：*Rhinochimaera pacifica*, a long-snouted chimaera (Rhinochimaeridae), in New Zealand waters (4) : 235
 Ishihara, Hajime and Akira Zama：Record of a labrid fish, *Xyrichtys pentadactylus*, from the Ogasawara Islands, Japan (3) : 227
 Jyoti, M.K.：see Malhotra, Y.R.
 Kajishima, Takao：see Takeuchi, Ikuo K.
 Kanayama, Tsutomu and Shuka Maruyama：Agonid fishes, *Anoplagonus occidentalis* and *Bothragonus occidentalis*, from Japanese waters..... (4) : 278
 Kanayama, Tsutomu, Toru Sasaki and Hoshi Sasaki：Discovery of the morid fish *Halargyreus johnsonii* in the western North Pacific (1) : 68

- 片山 正夫：八丈島および伊豆近海で採集されたカシワハナダイについて... (3) : 216
- 片山 正夫：石垣島から得られたアカネハナゴイ (新称) *Mirolabrichthys dispar* (4) : 291
- 加藤 文男：降海アマゴの鱗相について (1) : 51
- 加藤 文男：越前海岸で獲れた降海アマゴ (1) : 71
- 加藤 文男：琵琶湖水系に生息するアマゴとビワマスについて (3) : 197
- 勝山 明里：多紀 保彦を見よ
- 川口 弘一・Basil G. Nafpaktitis：黒潮とその周辺海域に広く分布するハダカイワシ科の新種クロシオハダカ.... (2) : 89
- 小林 弘治：鈴木 克美を見よ
- Lanzing, W. J. R.：千葉 晃を見よ
- 前川 光司：然別湖産イワナおよびオシロコマの降海型、河川残留型の生長と発育 (1) : 9
- Malhotra, Y. R.・M. K. Jyoti・Kadambri Gupta：Ophiocephalus punctatus の卵巣周期と産卵期 (3) : 190
- 丸山 秀佳：金山 勉を見よ
- 益子 計夫：ギバチの日周活動における光要因の役割 (4) : 251
- 増田 紳哉・小沢 貴和：Bregmaceros japonicus と B. nectabanus の模式標本の再調査 (4) : 266
- 松井 誠一：小沢 貴和を見よ
- Meyer, Katherine A.：Shepard, John W. を見よ
- 水江 一弘：田中 彰，手島 和之を見よ
- Moyer, Jack T.・中園 明信：三宅島におけるレンテンヤッコの社会構造，産卵行動と雌性先熟性転換 (1) : 25
- Moyer, Jack T.・中園 明信：日本産クマノミ属 6 種の雄性先熟性転換 (2) : 101
- Nafpaktitis, Basil G.：川口 弘一を見よ
- 仲谷 一宏：尼岡 邦夫を見よ
- 中園 明信：Moyer, Jack T. を見よ
- 野沢 靖：落合 明を見よ
- 落合 明・池上 健夫・野沢 靖：土佐湾のクロアナゴ葉形幼生の変態と同定について (3) : 205
- Katayama, Masao：The anthiine fish, *Pseudanthias taeniatus*, from Hachijo Island and the coast of Izu, Japan (3) : 216
- Katayama, Masao：The anthiine fish, *Mirolabrichthys dispar*, from Ishigaki Island, Japan (4) : 291
- Kato, Fumio：Lepidological study on sea-run specimens of *Oncorhynchus rhodurus* (1) : 51
- Kato, Fumio：On a sea-run specimen of *Oncorhynchus rhodurus* collected on the Echizen Coast, facing the Japan Sea (1) : 71
- Kato, Fumio：Morphological and ecological studies on two forms of *Oncorhynchus rhodurus* found in Lake Biwa and adjoining inlets (3) : 197
- Katsuyama, Akari：see Taki, Yasuhiko
- Kawaguchi, Kouichi and Basil G. Nafpaktitis：A new lanternfish, *Diaphus kuroshio* (family Myctophidae), from the Kuroshio Waters off Japan. (2) : 89
- Kobayashi, Koji：see Suzuki, Katsumi
- Lanzing, W. J. R.：see Chiba, Akira
- Maekawa, Koji：Growth and development of *Salvelinus malma miyabei* compared with other forms of *S. malma* (1) : 9
- Malhotra, Y. R., M. K. Jyoti and Kadambri Gupta：Ovarian cycle and spawning season of *Ophiocephalus punctatus*, inhabiting Jammu waters, India (3) : 190
- Maruyama, Shuka：see Kanayama, Tsutomu
- Mashiko, Kazuo：The light intensity as a key factor controlling nocturnal action in the catfish, *Pseudobagrus aurantiacus* (4) : 251
- Masuda, Shinya and Takakazu Ozawa：Reexamination of the holotypes of *Bregmaceros japonicus* Tanaka and *B. nectabanus* Whitley (4) : 266
- Matsui, Seiichi：see Ozawa, Takakazu
- Meyer, Katherine A.：see Shepard, John W.
- Mizue, Kazuhiro：see Tanaka, Sho; and Teshima, Kazuyuki
- Moyer, Jack T. and Akinobu Nakazono：Population structure, reproductive behavior and protogynous hermaphroditism in the angelfish *Centropyge interruptus* at Miyake-jima, Japan (1) : 25
- Moyer, Jack T. and Akinobu Nakazono：Protandrous hermaphroditism in six species of the anemonefish genus *Amphiprion* in Japan (2) : 101
- Nafpaktitis, Basil, G.：see Kawaguchi, Kouichi
- Nakaya, Kazuhiro：see Amaoka, Kunio
- Nakazono, Akinobu：see Moyer, Jack T.
- Nozawa, Yasushi：see Ochiai, Akira
- Ochiai, Akira, Takeo Ikegami and Yasushi Nozawa：On the metamorphosis and identification of the leptocephali of the congrid eel, *Conger japonicus*, from Tosa Bay, Japan (3) : 205

- 小野寺 聡：武田 恵三を見よ
 小沢 貴和：増田 紳哉を見よ
 小沢 貴和：日本南方外洋域における
Notosudidae フデエソ科 (新称) の仔
 魚..... (2): 79
 小沢 貴和・松井 誠一：日本南方海域と南
 シナ海から初記録のシラスウオ (新称)
 (4): 283
- Randall, John E. • Phillip C. Heemstra:
 従来ゴンベ科に含まれていたハナゴン
 ベとイソブナのハナダイ亜科への再分
 類..... (3): 165
- 酒井 治己・安田 富士郎：ヨシノボリ
Rhinogobius brunneus の卵発生と仔
 魚の発育..... (2): 92
- 坂本 隆志：鈴木 克美を見よ
 佐々木 星：金山 勉を見よ
 佐々木 達：金山 勉を見よ
 Shepard, John W. • Katherine A.
 Meyer：南日本から得られた1新種ウ
 スバノドグロベラの記載..... (3): 159
- 清水 長：北太平洋北西部で採集されたキ
 ンメダイ目魚類オニキンメ (新称)
 (1): 65
- 宗宮弘明：*Echiostoma barbatum* (ホテイ
 エソ科) の“黄色水晶体”眼と発光器
 (4): 269
- 鈴木 克美・小林 弘治・日置 勝三・坂本
 隆志：駿河湾におけるキンギョハナダ
 イ *Franzia squamipinnis* の生態
 (2): 124
- 高田 渡・上野 輝弥：奄美群島で採集され
 たカワハギ科魚類アザミカワハギ (新
 称)..... (2): 153
- 武田 恵三・小野寺 聡・吉安 克彦：最上
 川，日向川水系 (山形県) の特殊斑紋の
 イワナ..... (1): 58
- 竹内 郁夫・梶島 孝雄：キンギョ稚魚期の
 黄色素胞における脂質性顆粒の蓄積
 (4): 259
- 多紀 保彦：谷津 明彦を見よ
 多紀 保彦・勝山 明里・漆戸 登宇世：コ
 イ科 *Puntius* 属魚類の比較形態と種間
 関係..... (1): 1
- 田北 徹：有明海産のエツの同定.... (3): 223
- 田中 彰・原 政子・水江 一弘：サメ類の
 研究—XIII. アイザメ精子形成の微細
 構造について..... (3): 173
- Onodera, Satoshi : see Takeda, Keizou
 Ozawa, Takakazu : see Masuda, Shinya
 Ozawa, Takakazu : Notosudid fish larvae in the ocean
 off southern Japan (2): 79
- Ozawa, Takakazu and Seiichi Matsui : First record
 of the schindlerid fish, *Schindleria praematura*,
 from southern Japan and the South China Sea
 (4): 283
- Randall, John E. and Phillip C. Heemstra : Reclassi-
 fication of the Japanese cirrhitid fishes *Serrano-
 cirrhitus latus* and *Isobuna japonica* to the Anthi-
 inae (3): 165
- Sakai, Harumi and Fujio Yasuda : Development of
 eggs and larvae of the freshwater goby, *Rhino-
 gobius brunneus* (2): 92
- Sakamoto, Takashi : see Suzuki, Katsumi
 Sasaki, Hoshi : see Kanayama, Tsutomu
 Sasaki, Toru : see Kanayama, Tsutomu
 Shepard, John W. and Katherine A. Meyer : A new
 species of the labrid fish genus *Macropharyngodon*
 from southern Japan..... (3): 159
- Shimizu, Takeshi : Record of the beryciform fish,
Anoplogaster cornuta, from the western North
 Pacific (1): 65
- Somiya, Hiroaki : ‘Yellow lens’ eyes and luminous
 organs of *Echiostoma barbatum* (Stomiatoidei,
 Melanostomiidae) (4): 269
- Suzuki, Katsumi, Koji Kobayashi, Syozo Hioki and
 Takashi Sakamoto : Ecological studies of the
 anthiine fish, *Franzia squamipinnis*, in Suruga
 Bay, Japan (2): 124
- Takada, Wataru and Teruya Uyeno : A record of
 the filefish, *Amanes scopas*, collected from the
 Amami Islands, Japan (2): 153
- Takeda, Keizou, Satoshi Onodera and Katsuhiko
 Yoshiyasu : *Salvelinus leucomaenis* with atypical
 color patterns, collected in the Mogami and
 Nikko River systems, Yamagata Prefecture... (1): 58
- Takeuchi, Ikko K. and Takao Kajishima : Accumula-
 tion of lipid particles in xanthophores during the
 larval development of the goldfish, *Carassius
 auratus* (4): 259
- Taki, Yasuhiko : see Yatsu, Akihiko
 Taki, Yasuhiko, Akari Katsuyama and Tousei
 Urushido : Comparative morphology and inter-
 specific relationships of the cyprinid genus *Puntius*
 (1): 1
- Takita, Toru : Identification of a species of *Coilia*
 (Engraulidae) distributed in Ariake Sound .. (3): 223
- Tanaka, Sho, Masako Hara and Kazuhiro Mizue :
 Studies on sharks—XIII. Electron microscopic
 study on spermatogenesis of the squalen shark
Centrophorus atromarginatus (3): 173

谷内 透：東南アジアのナウハン湖，ペラ ク川，インドラギリ川における淡水産 板鰐類.....	(4): 273
手島 和之・Mukhtar Ahmad・水江 一 弘：サメ類の研究—XIV. マレーシア， ベラック河で採集された Telok An- son shark の生殖生態.....	(3): 181
漆戸 登宇世：多紀 保彦を見よ	
上野 輝弥：高田 渡を見よ	
山下 金義：マダイ仔魚の鰓形態の分化に ついて.....	(2): 141
山下 金義：マダイ仔魚の皮ふにみられる 塩類細胞について.....	(3): 211
安田 富士郎：Dawson, C. E., 酒井 治己， 谷津 明彦を見よ	
谷津 明彦・安田 富士郎・多紀 保彦：タ ウエガジ科の1新種ベニツケギンボ <i>Dictyosoma rubrimaculata</i> ，及びダイ ナンギンボ <i>D. burgeri</i> の地理的二型	(1): 40
吉安 克彦：武田 恵三を見よ	
座間 彰：石原 元を見よ	
座間 彰：アカハタモドキとヒレナガハタ (新称)のシノニムについて.....	(3): 219
図書紹介.....	(2): 155
会員通信.....	(1): 73, (2): 156, (3): 230
会 記..	(1): 74, (2): 156, (3): 233, (4): 294
編集後記.....	(2): 157, (3): 233, (4): 298

Taniuchi, Toru: Freshwater elasmobranchs from Lake Naujan, Perak River, and Indragiri River, Southeast Asia.....	(4): 273
Teshima, Kazuyuki, Mukhtar Ahmad and Kazuhiro Mizue: Studies on sharks—XIV. Reproduction in the Telok Anson shark collected from Perak River, Malaysia	(3): 181
Urushido, Tousei: see Taki, Yasuhiko	
Uyeno, Teruya: see Takada, Wataru	
Yamashita, Kaneyoshi: Differentiation of the gill structure in larvae of the red seabream <i>Pagrus major</i>	(2): 141
Yamashita, Kaneyoshi: Chloride cells in the skin of the larval red seabream <i>Pagrus major</i>	(3): 211
Yasuda, Fujio: see Dawson, C. E.; Sakai, Harumi; and Yatsu, Akihiko	
Yatsu, Akihiko, Fujio Yasuda and Yasuhiko Taki: A new stichaeid fish, <i>Dictyosoma rubrimaculata</i> from Japan, with notes on the geographic di- morphism in <i>Dictyosoma burgeri</i>	(1): 40
Yoshiyasu, Katsuhiko: see Takeda, Keizou	
Zama, Akira: see Ishihara, Hajime	
Zama, Akira: A grouper <i>Epinephelus albopunctulatus</i> , a synonym of <i>E. spiniger</i> , distinct from <i>E. truncatus</i>	(3): 219
New publications.....	(2): 155
News and comments	(1): 73, (2): 156, (3): 230
Proceedings	(1): 74, (2): 156, (3): 233, (4): 294
Editorial notes.....	(2): 157, (3): 233, (4): 298

日本魚類学会 THE ICHTHYOLOGICAL SOCIETY OF JAPAN